IN THE CLAIMS

Please amend the claims to read as follows:

Listing of Claims

1. (Currently Amended) An electrophotographic photoreceptor comprising a conductive support, and a photosensitive layer provided on the conductive support, and with an undercoat layer provided between the support and the photosensitive layer, characterized in that the undercoat layer contains a polyimide resin represented by the formula [I] and the photosensitive layer contains, as a charge generation agent, oxytitanium phthalocyanine showing a main diffraction peak intensity at a Bragg angle (2t±0.2°)27.3° in X-ray diffraction spectrum when measured using CuKα as a radiation source, wherein the undercoat layer has a thickness of 5.0 – 50 μm, and the undercoat layer has a two-layer structure comprising a <u>first</u> layer containing the a polyimide resin and a <u>second</u> layer <u>containing comprising</u> a thermosetting resin or a thermoplastic resin provided on the <u>first</u> layer, and the first layer has a thickness of 5.0-50.0 μm containing polyimide resin:

Formula [I]

(in the above formula, X is selected from the group consisting of [X-1]-[X-3], and n is an integer which shows a polymerization degree),

[X-1]

[X-2]

[X-3]

2.-3. (Cancelled)

4. (Currently Amended) An electrophotographic photoreceptor according to claim 1, wherein the <u>first layer and second layer contain</u> undercoat layer contains titanium oxide, and the weight ratio of the polyimide resin and the titanium oxide <u>in the first layer</u> is in the range of 3:1-1:4.

5.-8. (Cancelled)

- 9. (Currently Amended) <u>An</u> The electrophotographic apparatus <u>comprising the</u> <u>photoreceptor</u> of <u>claim</u> 1 <u>and further including</u> a contact charging <u>unit means</u>.
 - 10. (Cancelled)

11.	(Currently Amended) An The electrophotographic apparatus comprising the
photoreceptor of claim of Claim 4 and further including a contact charging unit means.	
12.	(Cancelled)
13.	(Cancelled)
14.	(Currently Amended) An The electrophotographic apparatus comprising the
photoreceptor	of claim of Claim 1 and further including an exposing unit means.
15.	(Currently Amended) The electrophotographic apparatus of Claim 14 wherein
said exposing unit includes means uses a semiconductor laser.	
16.	(Cancelled)
17.	(Cancelled)
18.	(Cancelled)
19.	(Currently Amended) An electrophotographic apparatus comprising the
photoreceptor of claim of Claim 1 and a charging unit selected from the group consisting further	
including at least one of a corona charging system, a charging roller and a charging brush.	

20. (Cancelled)